



**TOYO
TIRES**

SPECIFICATIONS

Open Country A/T III

Workhorse all-terrain with low noise and long tread life

ALL SHOW, ALL-GO.

Some tyres are made all for the show. Then there are those that go the distance too. Empower you to explore; from dawn to dusk, or take you from the weekday grind to a weekend adventure - All day, every day.

All amongst it or getting away from it all.

Because when it's all said and done, we believe your all-terrain tyres should be as versatile as you are and deliver anywhere, every time.

Make your *move.*

TOYO TIRES®



Australia is home to some of the most challenging off-road terrains anywhere in the world, which is why four-wheel-drive motorists deserve a tyre that can take them anywhere, any time; a tyre that instills confidence off-road, without sacrificing on-road manners.

Toyo's latest generation Open Country A/T III is that tyre, employing the latest in rubber compound and manufacturing technology, coupled with an aggressive tread redesign, bringing you an all-terrain that's All Show and All Go!

With a bold new look and a range of new fitments to better suit the Australian off-road and adventure market, the Open Country A/T III has been specifically engineered to deliver further improvements on the key performance characteristics that its predecessor was best known for, including exceptional long life, low road noise and outstanding off-road reliability.

Decades of refinement have made Toyo Tires' Open Country SUV range some of the most-loved best-performing and best-selling tyres on the market. Open Country A/T III offers enthusiasts the next generation of all-terrain performance – make your move and see how one of Australia's most-loved all-terrains just got better.

VIEW MORE FITMENTS ONLINE

Features & Benefits



Anywhere and every time

Improved performance on-road and a reputation for unbeatable off-road reliability, Open Country A/T III won't force you to compromise



Built to outlast

Market-leading tyre mileage means you can spend your time on the trails instead of at the tyre shop, delivering unbeatable value over the life of your tyres



Improving a classic

Aggressive new styling is more than just a facelift, it has boosted tyre performance across all metrics including wet weather, on-road braking, meaning safer commuting



What lies ahead?

No matter the obstacle, Open Country A/T III's more durable, cut and chip resistant compound makes you unstoppable off-road

Related Product Comparison

In comparison to **Open Country A/T III**



Open Country U/T

- ↑ quieter and more comfortable
- ↑ suitable for towing
- ↑ best sealed road performance



Open Country R/T 2Ply

- ↑ stronger off-road traction
- ↑ more aggressive appearance
- ↓ increased tread noise



Open Country M/T

- ↑ maximum off-road traction
- ↑ more puncture resistance
- ↓ faster wear rate




"Toyo make incredibly strong carcasses for their products, it's the stuff of legend when legend is so overused.

The new face of the Open Country All-Terrain III is a bold new aesthetic that I like and driving them is a sensation, knowing too, that I'm on a tyre that will go the distance."

- David Wilson, Adventure 4WD

Performance Rating

- OPEN COUNTRY U/T
- OPEN COUNTRY A/T II
- OPEN COUNTRY A/T III
- OPEN COUNTRY R/T 2PLY
- M55F





**"What do we think about the Toyo Open Country A/T III?
We love it. We think Toyo hit a home run with this tire [sic].
It gives you all the fantastic performance of an all-terrain
tire, such as on-road traction, off-road capability, and
overall comfort." – Anthem Wheels**

Sizes & Specifications


Tyre Size	Load/ Speed Rating	Light-Truck Construction	Carcass Plies	Ply Rating	Tread Depth	Inflated Dim.		Weight (kgs)	Max Load (kgs)	Max Cold Pressure (kPa)	Measuring Rim Width (inch)	Approved Rim Width Codes (inch)	White Lettering
						O.D. (mm)	O.W. (mm)						
30X9.50R15	104S	YES	2	6	12.4	756	240	17.37	900	350	7.5	6 - 8	YES
31X10.50R15	109S	YES	2	6	12.4	781	268	19.5	1030	350	8.5	7 - 9	YES
215/75R15	100T	NO			10.1	704	216	13.1	800	300	6	5.5 - 7	YES
235/75R15	110R	YES	2	8	12.7	733	235	18	1060	450	6.5	6 - 8	
255/70R15	113S	YES	2	8	12.6	739	260	18.5	1150	450	7.5	6.5 - 8.5	
205R16C	112S	YES	2	8	12.5	736	203	15.9	1120	500	6	5.5 - 6.5	
215/70R16	100T	NO			10.1	708	221	12.85	800	250	6.5	5.5 - 7	
225/75R16	115Q	YES	2	10	12.6	744	223	17.8	1215	550	6	6 - 7.5	
225/95R16	118S	YES	3	8	12.6	834	223	22.2	1320	475	6.5	6 - 7	
235/85R16	120R	YES	2	10	12.7	806	235	19.3	1400	550	6.5	6 - 7.5	
245/70R16	118S	YES	2	10	12.8	750	248	19.5	1320	550	7	6.5 - 8	
245/75R16	120S	YES	2	10	12.8	780	245	20.3	1400	550	7	6.5 - 8	
255/70R16	120S	YES	2	10	12.9	764	228	20.2	1400	550	7.5	6.5 - 8.5	
265/70R16	121S	YES	2	10	12.9	778	272	22.462	1450	550	8	7 - 9	
265/75R16	123R	YES	2	10	12.9	804	267	22.5	1550	550	7.5	7 - 9	YES
275/70R16	119S	YES	2	10	12.8	792	279	22.55	1360	550	8	7 - 9	
285/75R16	126R	YES	3	10	13.1	834	286	25.5	1700	550	8	7.5 - 9.5	YES
305/70R16	124R	YES	2	10	13.3	834	311	30.3	1600	450	9	8 - 10	
315/75R16	127R	YES	3	10	13.4	878	341	31.7	1750	450	8.5	8 - 10.5	
225/65R17	107S	YES	2	8	12.6	724	228	17.3	975	450	6.5	6.5 - 8	
225/70R17	115S	YES	2	10	12.6	748	228	18.2	1215	550	6.5	5.5 - 7.5	

Sizes & Specifications

Tyre Size	Load/ Speed Rating	Light-Truck Construction	Carcass Plies	Ply Rating	Tread Depth	Inflated Dim.		Weight (kgs)	Max Load (kgs)	Max Cold Pressure (kPa)	Measuring Rim Width (inch)	Approved Rim Width Codes (inch)	White Lettering
						O.D. (mm)	O.W. (mm)						
245/70R17	119R	YES	2	10	12.8	777	248	20.607	1360	550	7	6.5 - 8	
245/75R17	121S	YES	2	10	12.8	800	248	21.2	1450	550	7	6.5 - 8	
255/65R17	119S	YES	2	10	12.9	764	260	20.65	1360	550	7.5	7 - 9	
255/70R17	121S	YES	2	10	12.9	790	260	21.5	1450	550	7.5	6.5 - 8.5	
265/65R17	116T	NO			10.6	777	272	17.9	1250	350	8	7.5-9.5	
265/65R17	120S	YES	2	10	12.9	776	272	22.135	1400	550	8	7.5 - 9.5	
265/70R17	121S	YES	2	10	12.9	804	272	22	1450	550	8	7 - 9	YES
275/65R17	121S	YES	2	10	13	790	279	23.03	1450	550	8	8 - 9.5	
275/70R17	124T	YES	2	10	13	817	279	23.5	1600	550	8	7 - 9	
285/65R17	121S	YES	2	10	13.1	802	292	23.98	1450	550	8.5	8 - 10	
285/70R17	121S	YES	2	10	13.1	832	292	25.3	1450	550	8.5	7.5 - 9.5	
255/60R18	117S	YES	2	10	12.9	763	260	20.9	1285	550	7.5	7 - 9	
255/65R18	120S	YES	2	10	12.9	789	260	21.0	1400	550	7.5	7.5 - 9	
265/60R18	110H	NO			10.6	775	272	18.5	1060	300	8	7.5 - 9.5	
265/60R18	119S	YES	2	10	12.9	775	272	22.6	1360	550	8	7.5 - 9.5	
265/65R18	114T	NO			10.6	801	272	18.5	1180	290	8	7.5 - 9.5	
265/65R18	122S	NO	2	10	12.9	801	272	23.1	1500	550	8	7.5 - 9.5	
265/70R18	124S	YES	2	10	12.9	829	272	23.3	1600	550	8	7 - 9	
275/65R18	123S	YES	2	10	13	821	279	23	1550	550	8	8 - 9.5	YES
275/70R18	125S	YES	2	10	13	843	279	23	1650	550	8	7 - 9	YES
285/60R18	122S	YES	2	10	13.1	799	292	22.72	1500	550	8.5	8.5 - 10	

Sizes & Specifications

Tyre Size	Load/ Speed Rating	Light-Truck Construction	Carcass Plies	Ply Rating	Tread Depth	Inflated Dim.		Weight (kgs)	Max Load (kgs)	Max Cold Pressure (kPa)	Measuring Rim Width (inch)	Approved Rim Width Codes (inch)	White Lettering
						O.D. (mm)	O.W. (mm)						
285/65R18	125S	YES	2	10	13.1	827	292	24.9	1650	550	8.5	8.5 - 10	
285/70R18	127S	YES	2	10	13	856	292	26.0	1750	550	8.5	7.5 - 9.5	
295/70R18	129S	YES	2	10	13.2	871	300	29.2	1850	550	8.5	7.5-10	
255/55R19	115S	YES	2	10	12.9	763	265	20.9	1215	550	8	7.5-9	
265/55R19	113H	NO			10.5	775	277	20.9	1150	340	8.5	7.5 - 9.5	
265/50R20	111T	NO			10.6	774	277	18.3	1090	290	8.5	7.5 - 9.5	
265/60R20	112H	NO			10.7	826	272	19.3	1120	350	8	7.5 - 9.5	
275/55R20	117T	NO			9.2	810	284	19.3	1285	340	8.5	7.5 - 9.5	
275/60R20	115T	NO			10.7	838	279	20.4	1215	250	8	7.5 - 9.5	
275/65R20	126S	YES	2	10	13	866	279	25.8	1700	550	8	8.0-9.5	
285/50R20	116T	NO			10.8	794	297	20.5	1250	290	9	8 - 10	



 1800 454 065

 Toyo Tyre Australia Pty Ltd
1a, 2 Culverston Road, Minto NSW 2566

Visit us at **toyotires.com.au**