

SPECIFICATIONS

Open Country R/T

Heavy-duty 4WD tyre with reliable off-road traction

GO ›

v2

It's time for a change

Toyo Tires enables you to move better; our Japanese roots gives you the latest in mobility both on and off the road. But that's just the beginning. What Toyo really does is empower you to move confidently to new and bigger things, to make a change for the better. Just ask those who have. You see, tyres are not just a part of your vehicle. We believe that what you put on the outside of your car, matters to those on the inside. This is why we make **tyres for drivers,** not cars.

Make your *move.* TOYO TIRES



Experience the next generation of 4WD tyres with the **Open Country R/T**, a rugged-terrain 'hybrid' tyre that combines the go-anywhere versatility of an all-terrain with the extreme durability and traction of a mud-terrain for the best of both worlds. A sucker for punishment in the roughest terrain, this heavy-duty do-it-all 4x4 tyre can withstand a beating with the reliability that extreme tourers need to confidently explore Australia's most remote regions knowing they'll be able to find their way back in one piece.

Key driver benefits

- Off-road traction
- Puncture resistance
- Stability
- Steering response

Suitable fitment

- Ford Ranger Raptor
- Nissan Patrol
- RAM2500

VIEW MORE FITMENTS ONLINE

Features & Benefits



Next-generation hybrid tread pattern

Tight A/T-inspired centre blocks combine with self-cleaning M/T-style shoulders for traction on any terrain



3-ply polyester carcass with high turn-up ply

Open Country M/T-style construction provides extreme puncture resistance and sharp steering response



Advanced tread block design

Deep sipes and stepped block borders provide biting edges for wet traction on sealed or unsealed roads



Aggressive aesthetics with reduced noise

Staggered shoulder blocks and a varied tread pattern minimise road noise while creating an aggressive profile



Two jointless, spiral-wound cap plies

Excellent uniformity with exceptional strength



High-speed stability and steering response

L-shaped interlocking blocks reduce tread flex to provide stability while turning, accelerating and braking

Related Product Comparison

In comparison to **Open Country R/T**



Open Country M/T

- ↑ better self-cleaning
- similar puncture resistance
- ↓ slightly faster wear rate



Open Country A/T II

- ↑ stronger off-road traction
- ↑ more puncture resistance
- ↓ slightly faster wear rate



M55F

- ↑ more cut/chip resistance
- ↑ less wet weather traction
- ↑ slower wear rate






“After enduring the torture I put these tyres through, I was blown away by their grip and ability to run at low pressures”

– Penny Wells, Top of Down Under

Performance Rating

- OPEN COUNTRY R/T
- OPEN COUNTRY A/T II
- OPEN COUNTRY M/T



Performance is rated on a scale of 1 to 5 in increments of 0.5, with 5 being the best. Ratings compare related Toyo products within applicable categories and should not be considered out of context.

Sizes & Specifications

Tyre Size & Service Description	Load/ Speed Rating	Light Truck Construction	Ply Rating	Carcass Plies	Tread Depth (mm)	Inflated Dim.		Weight (kgs)	Max Load (kgs)	Max Cold Pressure (kPa)	Measuring Rim Width (inch)	Approved Rim Width Codes (inch)
						O.D. (mm)	O.W. (mm)					
265/75R16	123Q	Yes	10	3	13	810	267	24	1550	550	7.5	7 - 9
285/75R16	126Q	Yes	10	3	13	834	286	26.7	1700	550	8	7.5 - 9
305/70R16	124Q	Yes	10	3	13	834	311	28.76	1600	450	9	8 - 9.5
315/75R16	127Q	Yes	10	3	13	878	313	30.34	1750	450	8.5	8 - 11
35X12.50R17	121Q	Yes	10	3	15	883	318	34.2	1450	450	10	8.5 - 11
37X12.50R17	124Q	Yes	8	3	15	934	318	34.5	1600	350	10	8.5 - 11
265/70R17	121Q	Yes	10	3	13	804	272	25.59	1450	550	8	7 - 8.5
285/70R17	121Q	Yes	10	3	13	838	292	26.5	1450	550	8.5	7.5 - 9
295/70R17	121Q	Yes	10	3	13	846	299	32.5	1450	550	8.5	7.5 - 10
33X12.5R18	118Q	Yes	10	3	15	832	318	34	1320	450	10	8.5 - 11
35X12.50R18	123Q	Yes	10	3	15	883	318	35	1550	450	10	8.5 - 11
265/65R18	122Q	Yes	10	3	13	801	272	25.14	1500	550	8	7.5 - 9.5
285/60R18	122Q	Yes	10	3	13	799	292	26.4	1500	550	8.5	8 - 10
285/65R18	125Q	Yes	10	3	13	833	292	32	1650	550	8.5	8 - 10
33X12.5R20	114Q	Yes	10	3	15	832	318	31.2	1180	450	10	8.5 - 11
35X12.50R20	121Q	Yes	10	3	15	883	318	34.2	1450	450	10	8.5 - 11
37X12.50R20	126Q	Yes	10	3	15	934	318	32.7	1700	450	10	8.5 - 11
275/65R20	126Q	Yes	10	3	13	866	279	27.2	1700	550	8	7.5 - 9.5
285/55R20	122Q	Yes	10	3	13	822	297	27.1	1500	550	9	8 - 10
305/55R20	121Q	Yes	10	3	13	844	316	30.5	1450	450	9.5	8.5 - 11
35X12.50R22	117Q	Yes	10	3	15	883	318	30.5	1285	450	10	8.5 - 11
37X12.50R22	123Q	Yes	10	3	15	934	318	35	1550	450	10	9 - 11.5
37X13.50R22	123Q	Yes	10	3	15	934	345	36.9	1550	450	11	8.5 - 11

All Toyo brand tyres are subject to continuous brand development. Toyo Tyre Australia Pty Ltd reserves the right to change construction, materials specifications, or availability without notice or obligation.

TOYO TIRES®

Find a dealer | Get a price

1800 454 065

Toyo Tyre Australia Pty Ltd
1a, 2 Culverston Road, Minto NSW 2566

Visit us at **toyotires.com.au**

v2